L Number	Hits	Search Text	DB	Time stamp
1	1231	713/201.ccls. and @ad<20000509	USPAT;	2004/07/12 11:59
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	2005200		IBM_TDB	0004/07/10 00 50
2	3885322	privacy or seclud\$ or conceal\$ or secrecy or secur\$ or hidden or unknown or "not	USPAT;	2004/07/12 08:59
	ı.	available"	US-PGPUB; EPO; JPO;	
		available	DERWENT;	
	ł		IBM TDB	
4	585538	web or Internet or www or WAN	USPAT;	2004/07/12 09:02
	·		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_			IBM_TDB	0004/05/10 11 50
5	4133415	+ 	USPAT;	2004/07/12 11:53
		parameter or setting or assign\$5 or link\$5	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
6	11938255	manag\$6 or control\$5 or direct\$5 or	USPAT;	2004/07/12 09:02
	1	handl\$5 or arrang\$5	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
-,	1105630	interactive or victual or electrical	IBM_TDB	2004/07/12 00:04
7	1125639	interactive or virtual or adaptable or adjustable or (user with act\$6)	USPAT; US-PGPUB;	2004/07/12 09:04
		adjustable of (user with activo)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
8	6958173	various or multiple or many or different	USPAT;	2004/07/12 09:06
		or unique or second or third or	US-PGPUB;	
		"non-uniform" or "non-standard"	EPO; JPO;	
			DERWENT;	
9	3785537	exchang\$5 or shar\$5 or notify\$5 or send\$5	IBM_TDB USPAT;	2004/07/12 09:06
	3703337	or transer\$5 or transmit\$5	US-PGPUB;	2004/07/12 03:00
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
10	4999036	intercept\$ or catch\$5 or intrus\$5 or	USPAT;	2004/07/12 11:46
		prevent\$ or guard\$5	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
11	907070	check\$5 or verif\$5 or validat\$5	USPAT;	2004/07/12 09:07
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
12	5803884	application or program or corvice or	IBM_TDB USPAT;	2004/07/12 11:51
16	3003884	application or program or service or resource or connection or page or address	USPAT; US-PGPUB;	2004/01/12 11:31
		or site or vendor or virus or hacker	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
13	59324	P3P or HTTP or XML or "privacy	USPAT;	2004/07/12 09:57
		preferences"	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
14	10763	(privacy or seclud\$ or conceal\$ or secrecy	USPAT;	2004/07/12 09:15
	10,03	or secur\$ or hidden or unknown or "not	US-PGPUB;	
		available") with (manag\$6 or control\$5 or	EPO; JPO;	
		direct\$5 or handl\$5 or arrang\$5) with (web	DERWENT;	
		or Internet or www or WAN)	IBM_TDB	
15	22561	(web or Internet or www or WAN) with	USPAT;	2004/07/12 09:20
		(policy or rule or configuration or	US-PGPUB;	
		parameter or setting or assign\$5 or link\$5) with (manag\$6 or control\$5 or	EPO; JPO; DERWENT;	
		direct\$5 or handl\$5 or arrang\$5)	IBM TDB	
L		LATTOCTO OF MANATAN OF AFFAMAAA	1 +11.1 1111	L

16	20425	(policy or rule or configuration or	USPAT;	2004/07/12 09:23
		parameter or setting or assign\$5 or	US-PGPUB;	
	1	link\$5) with (interactive or virtual or	EPO; JPO;	
		adaptable or adjustable or (user with	DERWENT;	
		act\$6)) with (various or multiple or many	IBM TDB	
		or different or unique or second or third	***-***	
		or "non-uniform" or "non-standard")		
17	5451		USPAT;	2004/07/12 09:26
1 /	7471	prevent\$ or guard\$5) with (check\$5 or	US-PGPUB;	2004/07/12 09.20
		verif\$5 or validat\$5) with (application or	EPO; JPO;	
	į	program or service or resource or	1 '	
		1	DERWENT;	
		connection or page or address or site or	IBM_TDB	
		vendor or virus or hacker)		0004/07/10 00 05
18	52		USPAT;	2004/07/12 09:26
		secrecy or secur\$ or hidden or unknown or	US-PGPUB;	
		"not available") with (manag\$6 or	EPO; JPO;	
		control\$5 or direct\$5 or handl\$5 or	DERWENT;	
		arrang\$5) with (web or Internet or www or	IBM_TDB	
		WAN)) and ((policy or rule or		
		configuration or parameter or setting or		
		assign\$5 or link\$5) with (interactive or		
		virtual or adaptable or adjustable or		
		(user with act\$6)) with (various or		
		multiple or many or different or unique or		
		second or third or "non-uniform" or		
		"non-standard")) and ((intercept\$ or		
		catch\$5 or intrus\$5 or prevent\$ or		
		quard\$5) with (check\$5 or verif\$5 or		
		validat\$5) with (application or program or	1	
		service or resource or connection or page	1	
		or address or site or vendor or virus or		
		hacker)) and (P3P or HTTP or XML or		
		"privacy preferences")		
19	42	,	USPAT;	2004/07/12 09:26
49 _.	42	secrecy or secur\$ or hidden or unknown or	US-PGPUB;	2004/07/12 03:20
		"not available") with (manaq\$6 or	i ·	
			EPO; JPO;	į
		control\$5 or direct\$5 or handl\$5 or	DERWENT;	
		arrang\$5) with (web or Internet or www or	IBM_TDB	
		WAN)) and ((policy or rule or		İ
		configuration or parameter or setting or		
		assign\$5 or link\$5) with (interactive or		
		virtual or adaptable or adjustable or		
		(user with act\$6)) with (various or		
		multiple or many or different or unique or		
		second or third or "non-uniform" or		
		"non-standard")) and ((intercept\$ or	i	
		catch\$5 or intrus\$5 or prevent\$ or		
	1	guard\$5) with (check\$5 or verif\$5 or	1	·
	1	validat\$5) with (application or program or	1	
	1	service or resource or connection or page	1	1
		or address or site or vendor or virus or	1	
		hacker)) and (P3P or HTTP or XML or		
	1	"privacy preferences")) and @ad<20000509		I

20	4	((((privacy or seclud\$ or conceal\$ or	110000	2004/07/12 09:2	7 7
20	4	secrecy or securate or conceast or secrecy or securate or hidden or unknown or	USPAT; US-PGPUB;	2004/07/12 09:2	'
				1	ļ
		"not available") with (manag\$6 or	EPO; JPO;		
	ļ	control\$5 or direct\$5 or handl\$5 or	DERWENT;		
	ĺ	arrang\$5) with (web or Internet or www or	IBM_TDB		
		WAN)) and ((policy or rule or			ĺ
		configuration or parameter or setting or			
		assign\$5 or link\$5) with (interactive or			
		virtual or adaptable or adjustable or			
		(user with act\$6)) with (various or			
		multiple or many or different or unique or	 		
		second or third or "non-uniform" or			-
		"non-standard")) and ((intercept\$ or			
		catch\$5 or intrus\$5 or prevent\$ or			
		guard\$5) with (check\$5 or verif\$5 or			
		validat\$5) with (application or program or			
1		service or resource or connection or page			١
	\	or address or site or vendor or virus or			- 1
	j	hacker)) and (P3P or HTTP or XML or			
		"privacy preferences")) and @ad<20000509)			
		and (713/201.ccls. and @ad<20000509)			
21	23	6061796.URPN.	USPAT	2004/07/12 09:2	8
22	1015	"L23" and @ad<20000509	USPAT;	2004/07/12 09:4	7
			US-PGPUB;		
			EPO; JPO;		
	1		DERWENT;		
			IBM_TDB		
23	20	6061796.URPN. and @ad<20000509	USPAT;	2004/07/12 09:5	5
			US-PGPUB;		ı
			EPO; JPO;		
			DERWENT;		ļ
			IBM_TDB		Ì
24	3		USPAT	2004/07/12 09:5	4
25	2	6237093.URPN. and @ad<20000509	USPAT;	2004/07/12 09:5	6
			US-PGPUB;		l
			EPO; JPO;		ĺ
			DERWENT;	ŀ	
			IBM_TDB		
26	6		USPAT	2004/07/12 09:5	
27	6	6212546.URPN. and @ad<20000509	USPAT;	2004/07/12 09:5	7
			US-PGPUB;		ļ
			EPO; JPO;		
1			DERWENT;		ļ
			IBM_TDB		_
28	200	P3P or "privacy preferences"	USPAT;	2004/07/12 11:0	1
1			US-PGPUB;		
			EPO; JPO;		
			DERWENT;		
	J		IBM_TDB	1	_

29] 3	(P3P or "privacy preferences") and	USPAT;	2004/07/12 11:02
		((6212546.URPN. and @ad<20000509) or	US-PGPUB;	
		(6237093.URPN. and @ad<20000509) or	EPO; JPO;	
		(6061796.URPN. and @ad<20000509) or	DERWENT;	
		((((privacy or seclud\$ or conceal\$ or	IBM_TDB	
		secrecy or secur\$ or hidden or unknown or		
		"not available") with (manag\$6 or		
		control\$5 or direct\$5 or handl\$5 or		
		arrang\$5) with (web or Internet or www or		
		WAN)) and ((policy or rule or	i	
		configuration or parameter or setting or		
		assign\$5 or link\$5) with (interactive or		
		virtual or adaptable or adjustable or (user with act\$6)) with (various or		
		multiple or many or different or unique or		
		second or third or "non-uniform" or		
		"non-standard")) and ((intercept\$ or		
		catch\$5 or intrus\$5 or prevent\$ or		
		guard\$5) with (check\$5 or verif\$5 or		
	Ì	validat\$5) with (application or program or		
		service or resource or connection or page		
		or address or site or vendor or virus or		
		hacker)) and (P3P or HTTP or XML or		
		"privacy preferences")) and @ad<20000509)		
		or (713/201.ccls. and @ad<20000509))		
30	1	6496855.URPN.	USPAT	2004/07/12 10:59
31	901	(P3P or "privacy preferences" or (privacy	USPAT;	2004/07/12 11:02
		<pre>with manag\$5)) and (Internet or web)</pre>	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	, ·
			IBM_TDB	
32	24	((P3P or "privacy preferences" or (privacy	USPAT;	2004/07/12 11:19
1		with manag\$5)) and (Internet or web)) and	US-PGPUB;	
		((6212546.URPN. and @ad<20000509) or	EPO; JPO;	
		(6237093.URPN. and @ad<20000509) or	DERWENT;	
		(6061796.URPN. and @ad<20000509) or	IBM_TDB	
		<pre>((((privacy or seclud\$ or conceal\$ or secrecy or secur\$ or hidden or unknown or</pre>		
		"not available") with (manag\$6 or		
		control\$5 or direct\$5 or handl\$5 or		
		arrang\$5) with (web or Internet or www or		
		WAN)) and ((policy or rule or		
		configuration or parameter or setting or		
		assign\$5 or link\$5) with (interactive or		
		virtual or adaptable or adjustable or		
		(user with act\$6)) with (various or		
		multiple or many or different or unique or		
1		second or third or "non-uniform" or		
		"non-standard")) and ((intercept\$ or		
		catch\$5 or intrus\$5 or prevent\$ or		
		guard\$5) with (check\$5 or verif\$5 or		
	1	validat\$5) with (application or program or service or resource or connection or page		
		or address or site or vendor or virus or		
		hacker)) and (P3P or HTTP or XML or		
	1	"privacy preferences")) and @ad<20000509)		
	1	or (713/201.ccls. and @ad<20000509)		
33	22	(("6460141") or ("6427140") or ("6529513")	USPAT;	2004/07/12 11:43
1		or ("6601173") or ("6496855") or	US-PGPUB;	
1				
1	22			
	22	("6651090") or ("6330610") or ("6490679") or ("6584454") or ("6212546")).PN.	EPO; JPO; DERWENT;	
	22	("6651090") or ("6330610") or ("6490679")	EPO; JPO;	
34	4146	("6651090") or ("6330610") or ("6490679")	EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/07/12 11:45
34		("6651090") or ("6330610") or ("6490679") or ("6584454") or ("6212546")).PN. (privacy or seclud\$ or conceal\$ or secrecy or secur\$ or hidden or unknown or "not	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/07/12 11:45
34		("6651090") or ("6330610") or ("6490679") or ("6584454") or ("6212546")).PN. (privacy or seclud\$ or conceal\$ or secrecy or secur\$ or hidden or unknown or "not available") with (policy or rule or	EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/07/12 11:45
34		("6651090") or ("6330610") or ("6490679") or ("6584454") or ("6212546")).PN. (privacy or seclud\$ or conceal\$ or secrecy or secur\$ or hidden or unknown or "not available") with (policy or rule or configuration or parameter or setting or	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/12 11:45
34		("6651090") or ("6330610") or ("6490679") or ("6584454") or ("6212546")).PN. (privacy or seclud\$ or conceal\$ or secrecy or secur\$ or hidden or unknown or "not available") with (policy or rule or	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/07/12 11:45

35	242	(privacy or seclud\$ or conceal\$ or secrecy	USPAT;	2004/07/12 11:47
		or secur\$ or hidden or unknown or "not available") with (policy or rule or	US-PGPUB; EPO; JPO;	
		configuration or parameter or setting or	DERWENT;	
		assign\$5 or link\$5) with (web or Internet	IBM TDB	
		or www or WAN) with (interactive or	-	
		virtual or adaptable or adjustable or		
		(user with act\$6))		•
36	4083237	intercept\$ or catch\$5 or receiv\$5	USPAT;	2004/07/12 11:47
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
37	6168216	information or data or file or text	USPAT;	2004/07/12 11:49
			US-PGPUB;	
	İ		EPO; JPO;	
			DERWENT;	
			IBM_TDB	1
38	4911	(intercept\$ or catch\$5 or receiv\$5) with	USPAT;	2004/07/12 11:53
		(application or program or service or resource or connection or page or address	US-PGPUB; EPO; JPO;	
		or site or vendor or virus or hacker) with	DERWENT;	
ŀ		(privacy or seclud\$ or conceal\$ or secrecy	IBM TDB	
		or secur\$ or hidden or unknown or "not	<u>-</u>	
		available") with (information or data or		į
		file or text)		
39	95	P3P	USPAT;	2004/07/12 11:53
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
40	7854826	hierachy or level or rat\$5 or parent or	USPAT;	2004/07/12 11:54
		tree or arrang\$5 or rank\$5	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1.1	0000666		IBM_TDB	0004/07/10 11 54
41	2208666	policy or rule or configuration or	USPAT;	2004/07/12 11:54
]	parameter	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
42	386735	(policy or rule or configuration or	USPAT;	2004/07/12 11:57
	1	parameter) with (hierachy or level or	US-PGPUB;	
		rat\$5 or parent or tree or arrang\$5 or	EPO; JPO;	
		rank\$5)	DERWENT;	
43	0	((policy or rule or configuration or	IBM_TDB USPAT;	2004/07/12 11:58
1,3	I	parameter) with (hierachy or level or	US-PGPUB;	2004/07/12 11.30
		rat\$5 or parent or tree or arrang\$5 or	EPO; JPO;	
	1	rank\$5)) and P3P and ((intercept\$ or	DERWENT;	
		catch\$5 or receiv\$5) with (application or	IBM_TDB	
	1	program or service or resource or		
		connection or page or address or site or		
	1	vendor or virus or hacker) with (privacy or seclud\$ or conceal\$ or secrecy or		
	1	secur\$ or hidden or unknown or "not		
		available") with (information or data or		
		file or text)) and ((privacy or seclud\$ or		
		conceal\$ or secrecy or secur\$ or hidden or		
		unknown or "not available") with (policy		
		or rule or configuration or parameter or		
		setting or assign\$5 or link\$5) with (web		
		or Internet or www or WAN) with (interactive or virtual or adaptable or		
		adjustable or (user with act\$6)))		
	·	1 44 44 44 44 44 44 44 44 44 44 44 44 44	l	

44	100			1
4 4	19	((policy or rule or configuration or	USPAT;	2004/07/12 11:59
ļ		parameter) with (hierarchy or level or	US-PGPUB;	
		rat\$5 or parent or tree or arrang\$5 or	EPO; JPO;	
		rank\$5)) and ((intercept\$ or catch\$5 or	DERWENT;	
		receiv\$5) with (application or program or	IBM_TDB	
		service or resource or connection or page		1
		or address or site or vendor or virus or		
		hacker) with (privacy or seclud\$ or		
		conceals or secrecy or securs or hidden or		
	1	unknown or "not available") with		
1		(information or data or file or text)) and		
		((privacy or seclud\$ or conceal\$ or	İ	
	1	secrecy or secur\$ or hidden or unknown or		
		"not available") with (policy or rule or		
		configuration or parameter or setting or		
		assign\$5 or link\$5) with (web or Internet		
		or www or WAN) with (interactive or		
		virtual or adaptable or adjustable or		
45		(user with act\$6)))	HCDATE -	2004/07/10 11:50
45	0	((("6460141") or ("6427140") or	USPAT;	2004/07/12 11:59
		("6529513") or ("6601173") or ("6496855") or ("6651090") or ("6330610") or	US-PGPUB;	
			EPO; JPO;	
		("6490679") or ("6584454") or	DERWENT;	
		("6212546")).PN.) and (((policy or rule or	IBM_TDB	
	1	configuration or parameter) with		
		(hierachy or level or rat\$5 or parent or		
		tree or arrang\$5 or rank\$5)) and		
1		((intercept\$ or catch\$5 or receiv\$5) with		1
		(application or program or service or		
		resource or connection or page or address		
	1	or site or vendor or virus or hacker) with		
		(privacy or seclud\$ or conceal\$ or secrecy		
		or secur\$ or hidden or unknown or "not available") with (information or data or		
		file or text)) and ((privacy or seclud\$ or		
		conceal\$ or secrecy or secur\$ or hidden or unknown or "not available") with (policy		•
		or rule or configuration or parameter or		
		setting or assign\$5 or link\$5) with (web		
		or Internet or www or WAN) with		
		(interactive or virtual or adaptable or		
46	7	adjustable or (user with act\$6)))) (((policy or rule or configuration or	USPAT;	2004/07/12 11:59
40	'	parameter) with (hierachy or level or	<u> </u>	2004/07/12 11:59
		rat\$5 or parent or tree or arrang\$5 or	US-PGPUB; EPO; JPO;	
		rank\$5)) and ((intercept\$ or catch\$5 or	DERWENT;	
		receiv\$5) with (application or program or	IBM TDB]
		service or resource or connection or page	TEN_TOD	[i
		or address or site or vendor or virus or		
		hacker) with (privacy or seclud\$ or		
		conceals or secrecy or secures or hidden or		
		unknown or "not available") with		
		(information or data or file or text)) and		
		((privacy or seclud\$ or conceal\$ or		
		secrecy or securation to conceals of secrecy or securation of secrecy or securations or secretary or secretar		
		"not available") with (policy or rule or		
		configuration or parameter or setting or		
		assign\$5 or link\$5) with (web or Internet		
		or www or WAN) with (interactive or		
		virtual or adaptable or adjustable or		
		(user with act\$6)))) and @ad<20000509		
L		(aser with activitit and gaux20000303	L	L